



Disclaimer
Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Helm, TotalTilt with Tilt Limiter, Transom height - Extra-Long

- LF150XSA2- Counter Rotating Propeller, White colour, Digital Electronic Steering(DES): Integrated Electro-Hydraulic Steering(IEHS) for Digital Electronic Control(DEC) Helm, TotalTilt with Tilt Limiter, Transom height - Extra-Long

General Features:

- 4-Stroke, 16 Valve DOHC Direct Action In-Line 4
- Integrated Hydraulic Steering(IHS) for Mech Helm
- Power Trim & Tilt with integrated Tilt Limiter
- Direct Injection - higher reliability and increased performance
- High Output Alternator - 50 amps at wide open throttle or 22 amps at 600 RPM
- Offset Crankshaft - More efficient transfer of power

Price includes:

- Outboard
- Integrated Hydraulic Steering(IHS) for Mech Helm
- Integrated Tilt Limiter
- Water test
- Free prop exchange

Price does not include:

- Yamaha Stainless Steel Shift Dampener System(SDS) Prop
- Yamaha 703 Side Control Box and Yamaha looms/wiring
- 2x Yamaha multi function digital gauges(Tacho and Speedo, Fuel level, Battery level, Trim, Hours, Warnings, etc)
- Battery, Steering, Fuel filter, Fuel tank
- Fitting(dependent on boat configuration - as a guide approx. \$750 for a single outboard of this size)

Specifications

Engine Type

4-Stroke, 16 Valve DOHC Direct Action In-Line 4

Displacement2670 cc

Bore x Stroke94.0 x 96.2 mm

Recommended Max RPM5000-6000

Lubrication SystemWet Sump

Fuel ManagementElectronic Fuel Injection(EFI)

IgnitionTransistor Controlled Ignition(TCI)

Starter SystemElectric

Alternator Output35A. 50A at wide open throttle or 22A at 600RPM

Operation MethodRemote Control(Forward Control)

Trim & Tilt MethodPower Trim & Tilt with integrated Tilt Limiter

Digital Network GaugesOptional

Gear Ratio2.00:1

Dimensions

Transom Length

- F150LC:516(20.4)
- F150XC: 642 [25.3]
- LF150XC: 642 [25.3]
- F150XCB: 642 [25.3]
- F150XSA:642 [25.3]
- LF150XSA:642 [25.3]
- F150XSA2:642 [25.3]
- LF150XSA2:642 [25.3]

Weight

- F150LC:231kg
- F150XC: 236kg
- LF150XC: 236kg
- F150XCB: 235kg
- F150XSA:237kg
- LF150XSA:237kg
- F150XSA2:237kg
- LF150XSA2:237kg

Prices do not include fitting or accessories where applicable.

It is a Yamaha Australia stipulation that all Yamaha Outboards be fitted and personally delivered by the selling Yamaha outboard dealership.

Boat Brand	Model	Stock Number
------------	-------	--------------

Yamaha	F150XC	0
Length	Year	Condition
0.00 Metres	2024	New
State	Suburb	Boat Link
Queensland	BURPENGARY	